

### 6.2 Managing children who are sick, infectious, or with allergies

#### Policy statement

We aim to provide care for healthy children through preventing cross infection of viruses and bacterial infections and promote health through identifying allergies and preventing contact with the allergenic trigger.

#### Procedures for children who are sick or infectious

- If children appear unwell during the day have a temperature, sickness, diarrhoea or pains, particularly in the head or stomach the manager calls the parents and asks them to collect the child, or send a known carer to collect the child on their behalf.
- If a child has a temperature, they are kept cool, by removing top clothing and sponging their heads with cool water, but kept away from draughts.
- The child's temperature is taken using an ear probe thermometer, kept in the first aid cabinet in the kitchen.
- In extreme cases of emergency, an ambulance is called and the parent informed.
- If the child's temperature does not go down and is worryingly high, then we may give them Calpol or another similar analysic, after first obtaining verbal consent from the parent where possible. This is to reduce the risk of febrile convulsions, particularly for babies. Parents sign the medication record when they collect their child.
- Parents are asked to take their child to the doctor before returning them to the setting; the setting
  can refuse admittance to children who have a temperature, sickness and diarrhoea or a contagious
  infection or disease.
- Where children have been prescribed antibiotics for an infectious illness or complaint, we ask
  parents to keep them at home for 48 hours before returning to the setting.



- After diarrhoea, parents are asked to keep children home for 48 hours following the last episode.
- Some activities, such as sand and water play, and self-service snacks where there is a risk of crosscontamination may be suspended for the duration of any outbreak.
- The setting has a list of excludable diseases and current exclusion times. The full list is obtainable from www.hpa.org.uk/webc/HPAwebFile/HPAweb\_C/1194947358374 and includes common childhood illnesses such as measles.

#### Reporting of 'notifiable diseases'

- If a child or adult is diagnosed as suffering from a notifiable disease under the Health Protection (Notification) Regulations 2010, the GP will report this to the Public Health England.
- When the setting becomes aware, or is formally informed of the notifiable disease, the manager informs Ofsted and contacts Public Health England, and acts on any advice given.

#### HIV/AIDS/Hepatitis procedure

- HIV virus, like other viruses such as Hepatitis A, B and C, are spread through body fluids. Hygiene precautions for dealing with body fluids are the same for all children and adults.
- Single-use vinyl gloves and aprons are worn when changing children's nappies, pants and clothing that are soiled with blood, urine, faeces or vomit.
- Protective rubber gloves are used for cleaning/sluicing clothing after changing.
- Soiled clothing is rinsed and either bagged for parents to collect or laundered in the setting.
- Spills of blood, urine, faeces or vomit are cleared using mild disinfectant solution and mops; any cloths used are disposed of with the clinical waste.
- Tables and other furniture, furnishings or toys affected by blood, urine, faeces or vomit are cleaned using a disinfectant.



Nits and head lice

- Nits and head lice are not an excludable condition, although in exceptional cases a parent may be
  asked to keep the child away until the infestation has cleared.
- On identifying cases of head lice, all parents are informed and asked to treat their child and all the family if they are found to have head lice.

#### Procedures for children with allergies

- When parents start their children at the setting they are asked if their child suffers from any known allergies. This is recorded on the Registration Form.
- If a child has an allergy, a risk assessment form is completed to detail the following:
  - The allergen (i.e. the substance, material or living creature the child is allergic to such as nuts, eggs, bee stings, cats etc).
  - The nature of the allergic reactions e.g. anaphylactic shock reaction, including rash, reddening of skin, swelling, breathing problems etc.
  - What to do in case of allergic reactions, any medication used and how it is to be used (e.g. Epipen).
  - Control measures such as how the child can be prevented from contact with the allergen.
  - Review measures.
- This risk assessment form is kept in the child's personal file and a copy is displayed where staff can see it.
- Parents train staff in how to administer special medication in the event of an allergic reaction.
- Generally, no nuts or nut products are used within the setting.
- Parents are made aware so that no nut or nut products are accidentally brought in, for example to a
  party.

#### Insurance requirements for children with allergies and disabilities

The insurance will automatically include children with any disability or allergy, but certain procedures



must be strictly adhered to as set out below. For children suffering life threatening conditions, or requiring invasive treatments; written confirmation from our insurance provider must be obtained to extend the insurance.

At all times the administration of medication must be compliant with the Safeguarding and Welfare
 Requirements of the Early Years Foundation Stage.

#### Oral medication

- Asthma inhalers are now regarded as 'oral medication' by insurers and so documents do not need to be forwarded to our insurance provider.
- Oral medications must be prescribed by a GP or have manufacturer's instructions clearly written on them.
- The setting must be provided with clear written instructions on how to administer such medication.
- All risk assessment procedures need to be adhered to for the correct storage and administration of the medication.
- The setting must have the parents or guardians prior written consent. This consent must be kept on file. It is not necessary to forward copy documents to your insurance provider.

#### Life saving medication and invasive treatments

Adrenaline injections (Epipens) for anaphylactic shock reactions (caused by allergies to nuts, eggs etc) or invasive treatments such as rectal administration of Diazepam (for epilepsy).

- We must have:
  - a letter from the child's GP/consultant stating the child's condition and what medication if any is to be administered;
  - written consent from the parent or guardian allowing staff to administer medication; and
  - proof of training in the administration of such medication by the child's GP, a district nurse, children's' nurse specialist or a community paediatric nurse.
- Copies of all three documents relating to these children must first be sent to the Morton Michel



Insurance Department for appraisal. Written confirmation that the insurance has been extended will be issued by return.

Key person for special needs children - children requiring assistance with tubes to help them with everyday living e.g. breathing apparatus, to take nourishment, colostomy bags etc.

- Prior written consent must be obtained from the child's parent or guardian to give treatment and/or medication prescribed by the child's GP.
- The key person must have the relevant medical training/experience, which may include those who
  have received appropriate instructions from parents or guardians, or who have qualifications.
- Copies of all letters relating to these children must first be sent to the Morton Michel Insurance
   Department for appraisal. Written confirmation that the insurance has been extended will be issued
   by return.

This policy was adopted at a meeting of	Sonning Common Pre-school	
Held on	1st May 2017	_
Date to be reviewed	May 2018	_
Signed on behalf of the provider		_
Name of signatory	Victoria Head	
Role of signatory (e.g. chair, director or owner)	Chairperson	

#### Other useful Pre-school Learning Alliance publications

- Good Practice in Early Years Infection Control (2009)
- Medication Administration Record (2013)